

Облікова картка дисертації

I. Загальні відомості

Державний обліковий номер: 0413U005835

Особливі позначки: відкрита

Дата реєстрації: 31-10-2013

Статус: Захищена

Реквізити наказу МОН / наказу закладу:



II. Відомості про здобувача

Власне Прізвище Ім'я По-батькові:

1. Чернишенко Володимир Олександрович

2. Chernyshenko Volodymyr Olexandrovyeh

Кваліфікація:

Ідентифікатор ORCID ID: Не застосовується

Вид дисертації: кандидат наук

Аспірантура/Докторантура: ні

Шифр наукової спеціальності: 03.00.20

Назва наукової спеціальності: Біотехнологія

Галузь / галузі знань: Не застосовується

Освітньо-наукова програма зі спеціальності: Не застосовується

Дата захисту: 28-10-2013

Спеціальність за освітою: 8.04010110

Місце роботи здобувача: Інститут біохімії ім. О.В. Палладіна НАНУ

Код за ЄДРПОУ: 05417288

Місцезнаходження: 01601 Київ, вул. Леонтовича 9

Форма власності:

Сфера управління: Національна академія наук України

Ідентифікатор ROR: Не застосовується

III. Відомості про організацію, де відбувся захист

Шифр спеціалізованої вченої ради (разової спеціалізованої вченої ради): Д26.240.012

Повне найменування юридичної особи:

Код за ЄДРПОУ:

Місцезнаходження:

Форма власності:

Сфера управління:

Ідентифікатор ROR: Не застосовується

IV. Відомості про підприємство, установу, організацію, в якій було виконано дисертацію

Повне найменування юридичної особи: Інститут біохімії ім. О.В. Палладіна НАНУ

Код за ЄДРПОУ: 05417288

Місцезнаходження: 01601 Київ, вул. Леонтовича 9

Форма власності:

Сфера управління: Національна академія наук України

Ідентифікатор ROR: Не застосовується

V. Відомості про дисертацію

Мова дисертації:

Коди тематичних рубрик: 62.39.51

Тема дисертації:

1. Фібриногеназа з отрути *Echis multisquamatis* як інструмент вивчення ролі BbetaN-домену фібриногену в протеїн-протеїнових взаємодіях
2. Fibrinogenase from the venom of *Echis multisquamatis* as an instrument of the study of role of fibrinogen BbetaN-domain in protein-protein interactions

Реферат:

1. Розроблено протокол препаративного виділення нової фібриногенази з отрути *Echis multisquamatis* та охарактеризовано її. Фібриногеназа зменшувала гемостатичний потенціал плазми крові, пригнічувала агрегацію тромбоцитів та полімеризацію фібрину, а отже є перспективним дефібриногеновальним агентом. Запропоновано та реалізовано підходи до використання фібриногенази у технології обмеженого протеолізу. Зокрема, показано зміну доступності пептидного зв'язку BbetaR42-A43 у ході відщеплення фібринопептидів А, переході фібриногену в мономерний фібрин desA, його полімеризації, відщеплення фібринопептидів В. Створено просторову модель структури BbetaN-домену фібрин(оген)у та перевірено її на основі аналізу закономірностей обмеженого протеолізу BbetaN-домену фібриногеназою. Показано участь послідовностей BbetaN-домену в формуванні DD-E тріади, латеральній асоціації протофібрил, неензиматичній активації протромбіну, взаємодіях фібриногену з GPIIb/IIIa у ході агрегації тромбоцитів. Досліджені властивості

отриманої фібриногенази свідчать про можливість створення на її основі нового біотехнологічного продукту для корекції зсідання крові, фібринолізу та агрегації тромбоцитів.

2. A new fibrinogenase was purified and characterized. The purified protease preferably cleaved the R42-A43 bond of fibrinogen B β -chain and with much lower activity hydrolysed C-terminus of A α -chain. As to the polymerized fibrin, the enzyme hydrolyzed C-terminal part of alpha-chain and N-terminus of beta-chain of fibrin at similar kinetics to the respective values for the fibrinogen, but both reactions were much slower. Brief incubation of fibrinogen with protease elongated thrombin clotting time by 60%. The clot formed from a mixture of native fibrinogen and desB β (1-42)₂ (truncated fibrinogen) was much more sensitive to plasmin digestion than the native fibrin clot. The protease did not activate platelets nor cause changes in their shape and granularity, but it reduced platelet aggregation induced by ADP. An in vitro study of the influence of fibrinogenase on haemostatical potential allowed us to conclude that the fibrinogenase might serve as a fibrinogen-depletive agent. To evaluate the accessibility of B β R42-A43 to fibrinogenase hydrolytic action, we compared the kinetics of Fg, monomeric and polymeric fibrin desA and desAB β 15-42 peptide cleavage. Rate of peptide cleavage was determined using electrophoretic and densitometric analyses of hydrolyzed substrates. It was found that kinetic parameters of the hydrolysis of fibrinogen, monomeric fibrin desA and desAB (in presence of 1 mM GPRP peptide) were 8.0; 9.6; 10.4 mkM for K_m , 0.13; 0.08; 0.019 s⁻¹ for k_{cat} and 0.016, 0.008 and 0.0018 mkM⁻¹s⁻¹ for k_{ef} (K_m/k_{cat}), respectively. The narrow range of K_m values showed that fibrinogenase has similar affinity to the monomeric substrates. Decreased values of k_{ef} indicated a possible change within polypeptide structure, surrounding B β R42-A43 peptide bond. Computer modeling of fibrinogen (B β 1-60) and desAB fibrin (β 15-60) using server I-TASSER predicted some models of their tertiary structures. One model for fibrinogen and another for desAB fibrin were selected according to the location of the split peptide bond within the loop of peptide chain. Meanwhile K_m , k_{cat} and k_{ef} values varied significantly for fibrinogenase reaction for the polymeric fibrin desA (60 mkM, 0,041 s⁻¹ and 0,00007 mkM⁻¹s⁻¹, respectively). Taking into account the concentration of the fibrin molecules in the surface layer of a fibril (~18 % of total), K_m and k_{ef} , normalized to the available concentration of polymerized fibrin desA, were 10.8 mkM and 0.004 mkM⁻¹s⁻¹. Cleavage of fibrin desAB β N-domain from fibrin polymer was not observed, probably due to its involvement into formation of protofibrils. The data indicated that the B β R42-A43 peptide bond was available for cleavage in all forms of fibrin(ogen) except polymerized fibrin desAB. It was found that fibrin desAB but no fibrin desA and desAB β (15-42)₂ induced appearance of thrombin activity in the mixture with prothrombin. Thus we could predict the crucial role in this process of 15-42 sequence of β N-domain cleaved off in fibrin desAB β (15-42)₂ and protected in fibrin desA. To map the β 15-42 residue we studied the influence of specific monoclonal IgG antibody to β 26-42 on thrombin-like activity in the mixture of prothrombin and fibrin desAB. It was shown that blocking of B β 26-42 residue by antibody significantly diminished the induction of thrombin-like activity in the mixture. Thus we have found that prothrombin was activated after forming a complex with fibrin. The non-enzymatic activation of prothrombin could be an important process during thrombin over-formation on fibrin matrix and fibrin degradation products. ADP- and collagen-induced platelet aggregation of washed platelets in the presence of native fibrinogen or the partly hydrolyzed form - desB β (1-42)₂ was studied. In both cases the rate and level of platelet aggregation did not statistically different from control. However, desB β (1-42)₂ fibrinogen caused further disaggregation of platelets. Washed platelets were activated by ADP in the presence of native or desB β (1-42)₂ fibrinogen to quantify PF-4 and PDGF (markers of alpha-granules) release. The levels of PF-4 and PDGF were measured using ELISA. Neither rates differed from the controls. From the data we can speculate that the abnormalities in platelet aggregation in the presence of desB β (1-42)₂ fibrinogen were related rather to lesser stability of fibrinogen-platelets interaction mediated by the GPIIb/IIIa receptor or other platelet integrins, than to platelet activation. Analytical size-exclusion chromatography of fibrin desAB with D and DD fragments of fibrin(ogen) revealed a ternary fibrin-DD-D complex. In the mixture of D and DD with desAB β (15-42)₂ or desA fibrin only binary complex of fibrin and DD was formed. Also, the complex of DD with fibrin desAB β (15-42)₂ was much less stable than that with fibrin desA. Thus we can speculate about the role of B β N-domain in the DDE-triad formation as well as in lateral association of protofibrils. In conclusion, fibrinogenase from the Echis

multisquamatis snake venom cleaved N-terminal peptide 1-42 of fibrinogen Bbeta-chain with high specificity, hydrolysed C-terminal part of Aalpha chain in both fibrinogen and fibrin. Truncated fibrinogen showed slow response to clotting by thrombin but the formed clot hydrolysed much faster than clot from the native fibrinogen. fibrinogenase did not activate platelets but diminished aggregation of ADP-activated platelets in platelet rich plasma or washed platelets with added fibronogen. Therefore we can conclude that the action of fibrinogenase from the venom of Echis multisquamatis had an anticoagulant, thrombolytic and antiaggregatory action on blood plasma and could be a potential antithrombotic an thrombolytic agent.

Державний реєстраційний номер ДіР:

Пріоритетний напрям розвитку науки і техніки:

Стратегічний пріоритетний напрям інноваційної діяльності:

Підсумки дослідження:

Публікації:

Наукова (науково-технічна) продукція:

Соціально-економічна спрямованість:

Охоронні документи на ОПВ:

Впровадження результатів дисертації:

Зв'язок з науковими темами:

VI. Відомості про наукового керівника/керівників (консультанта)

Власне Прізвище Ім'я По-батькові:

1. Комісаренко Сергій Васильович
2. Komisarenko Serhiy Vasyliovych

Кваліфікація: д.б.н., 03.00.20

Ідентифікатор ORCID ID: Не застосовується

Додаткова інформація:

Повне найменування юридичної особи:

Код за ЄДРПОУ:

Місцезнаходження:

Форма власності:

Сфера управління:

Ідентифікатор ROR: Не застосовується

VII. Відомості про офіційних опонентів та рецензентів

Офіційні опоненти

Власне Прізвище Ім'я По-батькові:

1. Корнелюк Олександр Іванович
2. Корнелюк Олександр Іванович

Кваліфікація: д.б.н., 03.00.03

Ідентифікатор ORCID ID: Не застосовується

Додаткова інформація:

Повне найменування юридичної особи:

Код за ЄДРПОУ:

Місцезнаходження:

Форма власності:

Сфера управління:

Ідентифікатор ROR: Не застосовується

Власне Прізвище Ім'я По-батькові:

1. Сагач Вадим Федорович
2. Сагач Вадим Федорович

Кваліфікація: д.б.н., 14.03.04

Ідентифікатор ORCID ID: Не застосовується

Додаткова інформація:

Повне найменування юридичної особи:

Код за ЄДРПОУ:

Місцезнаходження:

Форма власності:

Сфера управління:

Ідентифікатор ROR: Не застосовується

Рецензенти

VIII. Заключні відомості

**Власне Прізвище Ім'я По-батькові
голови ради**

Костерін Сергій Олексійович

**Власне Прізвище Ім'я По-батькові
головуючого на засіданні**

Костерін Сергій Олексійович

**Відповідальний за підготовку
облікових документів**

Реєстратор

**Керівник відділу УкрІНТЕІ, що є
відповідальним за реєстрацію наукової
діяльності**



Юрченко Т.А.